

# sonneborn

Chemistry. By Nature.™

## LUXE CREAM - Anti-Aging Body Cream with SONNECONE® CM

This luxurious formula features 30% Sonnecone® CM which protects and moisturizes the skin. This comforting cream has a cushiony application and leaves a soft, non-greasy after-feel.

<u>SEQUENCE</u>	<u>PERCENT</u>	<u>INGREDIENT</u>	<u>INCI NAME</u>
1	50.50	Deionized Water	Water
2	3.00	Glycerin	Glycerin
2	0.20	Rhodiocare T	Xanthan Gum
3	1.00	Diocide	Caprylyl Glycol (and) Phenoxyethanol (and) Hexylene Glycol
3	0.10	Dissolvane Na2S	Disodium EDTA
4	6.00	Lipomulse 165	Glyceryl Stearate (and) PEG-100 Stearate
4	30.00	Sonnecone® CM (Sonneborn, LLC)	Petrolatum
4	1.00	Lipo Stearic Acid	Stearic Acid
4	0.50	Kendi Oil	Aleurites Moluccana Seed Oil
4	0.10	Covi Ox T-50	Tocopherol
4	4.60	Lipowax D	Cetearyl Alcohol (and) Ceteareth-20
4	2.00	Xiameter PMX-200, 50cs	Dimethicone
5	1.00	Resistem	Glycerin (and) Globularia Cordifolia Callus Culture Extract
6	qs	NaOH (18%)	Water (and) Sodium Hydroxide

The information contained herein is correct to the best of our knowledge. Your attention is directed to the pertinent Material Safety Data Sheets for the products mentioned herein. All sales are subject to Sonneborn's standard terms and conditions of sale, copies of which are available upon request and which are part of Sonneborn's invoices and/or order acknowledgments. Except as expressly provided in Sonneborn's standard terms and conditions of sale, no warranty, express or implied, including warranty of merchantability or fitness for particular purpose, is made with respect to the products described herein. Nothing contained herein shall constitute permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.

# sonneborn

Chemistry. By Nature.™

## PROCEDURE:

1. In main beaker, weigh Sequence #1 ingredients and heat to 80°C with medium speed propeller mixing.
2. Combine Sequence #2 ingredients and mix into a slurry.
3. Slowly add Sequence #2 to Sequence #1 and mix until the Xanthan Gum has fully hydrated and there are no lumps or particles.
4. Add Sequence #3 ingredients and mix well.
5. In another beaker, combine Sequence #4 ingredients and heat to 80°C. Mix until all solids have melted.
6. Slowly add Sequence #4 to the batch and mix well. Begin cooling
7. When batch temperature reaches 25°C, add Sequence #5 and mix well.
8. Adjust pH to 6.50 - 6.80 with Sequence #6 and mix well.
9. Package in suitable containers.

## SPECIFICATIONS:

pH: 6.77

Viscosity: LVT-E @ 0.3 rpm for 1 minute 484,300 cps

The information contained herein is correct to the best of our knowledge. Your attention is directed to the pertinent Material Safety Data Sheets for the products mentioned herein. All sales are subject to Sonneborn's standard terms and conditions of sale, copies of which are available upon request and which are part of Sonneborn's invoices and/or order acknowledgments. Except as expressly provided in Sonneborn's standard terms and conditions of sale, no warranty, express or implied, including warranty of merchantability or fitness for particular purpose, is made with respect to the products described herein. Nothing contained herein shall constitute permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.

# sonneborn

Chemistry. By Nature.™

## LUXE CREAM - Anti-Aging Body Cream with SONNECONE CM®

This luxurious formula features 30% Sonnecone® CM which protects and moisturizes the skin. This comforting cream has a cushiony application and leaves a soft, non-greasy after-feel.

<u>SEQUENCE</u>	<u>PERCENT</u>	<u>INGREDIENT</u>	<u>FUNCTION</u>
1	50.50	Deionized Water	Water
2	3.00	Glycerin (Ruger Chemical Co.)	Humectant and moisturizer
2	0.20	Rhodiacare T (Rhodia)	Viscosity Increasing Agent - Aqueous
3	1.00	Diocide (Centerchem, Inc.)	Paraben-free preservative
3	0.10	Dissolvane Na2S (Akzo Nobel)	Chelating agent
4	6.00	Lipomulse 165 (Lipo Chemicals, Inc.)	Emulsifier
4	30.00	Sonnecone® CM (Sonneborn, LLC)	Petrolatum
4	1.00	Lipo Stearic Acid (Lipo Chemicals, Inc.)	Viscosity Increasing Agent - non-aqueous
4	0.50	Kendi Oil (Soliance)	Emollient
4	0.10	Covi Ox T-50 (DeWolf Chemical)	Skin-conditioning agent; anti-oxidant
4	4.60	Lipowax D (Lipo Chemicals, Inc.)	Emulsifier
4	2.00	Xiameter PMX-200, 50cs (Nexeo Solutions)	Emollient
5	1.00	Resistem (Croda, Inc.)	Anti-aging active
6	qs	NaOH (18%)	pH adjuster

The information contained herein is correct to the best of our knowledge. Your attention is directed to the pertinent Material Safety Data Sheets for the products mentioned herein. All sales are subject to Sonneborn's standard terms and conditions of sale, copies of which are available upon request and which are part of Sonneborn's invoices and/or order acknowledgments. Except as expressly provided in Sonneborn's standard terms and conditions of sale, no warranty, express or implied, including warranty of merchantability or fitness for particular purpose, is made with respect to the products described herein. Nothing contained herein shall constitute permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.