

Specifications for  
**SONNECONE® CM**

| <u>PROPERTIES GUARANTEED</u>           | <u>TEST METHOD</u>     | <u>LIMITS</u> |
|----------------------------------------|------------------------|---------------|
| Specific Gravity @ 60°C/25°C           | LATM 128               | 0.815/0.880   |
| Lovibond Color, 3" CELL, Y             | IP 17                  | 1.0 Max       |
| Melting Point, °C                      | ASTM D127              | 38.0/51.6     |
| Odor Rating, Panel Average             | LATM 093               | 1.0 Max.      |
| Consistency                            | ASTM D937              | 240/300       |
| Residue On Ignition                    | USP (current revision) | 0.05 Max      |
| Alkalinity                             | USP (current revision) | PASS          |
| Acidity                                | USP (current revision) | PASS          |
| Color                                  | USP (current revision) | PASS          |
| Fixed Oils, Fats, And Rosin            | USP (current revision) | PASS          |
| Organic Acids                          | USP (current revision) | PASS          |
| Residual Solvents, Reportable Quantity | USP 467                | NONE          |
| UV Absorbance                          | 21 CFR 172.880         | PASS          |

This product is a White Petrolatum USP meeting requirements for USP (current revision) and FDA requirements as per 21 CFR 172.880.

The information contained herein is correct to the best of our knowledge. Your attention is directed to the pertinent Safety Data Sheets for the products mentioned herein. All sales are subject to Sonneborn's standard terms and conditions of sale, copies of which are available upon request and which are part of Sonneborn's invoices and/or order acknowledgments. Except as expressly provided in Sonneborn's standard terms and conditions of sale, no warranty, express or implied, including warranty of merchantability or fitness for particular purpose, is made with respect to the products described herein. Nothing contained herein shall constitute permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.