

PURE & SOOTHING BABY LOTION with SHEA XP™

This lotion applies smoothly and leaves a soft after-feel. **Shea XP™** nourishes and moisturizes the skin and leaves it feeling soft.

SEQUENCE	PERCENT	INGREDIENT	INCI NAME
1	78.05	Deionized Water	Water
1	1.00	Euxyl PE-9019 (Schülke)	Phenoxyethanol (and)Ethylhexylglycerin
2	3.00	Glycerin, 99.5% (Protameen Chemicals, Inc.)	Glycerin
2	1.00	Solagum AX (Seppic, Inc.)	Acacia Senegal Gum (and) Xanthan Gum
3	4.40	Montanov 68 (Seppic, Inc.)	Cetearyl Alcohol (and) Cetearyl Glucoside
3	4.50	Shea XP TM (Sonneborn, LLC)	Petrolatum USP (and) Butyrospermum Parkii (Shea) Butter
3	4.00	Lexol GT-865 (Inolex Chemical Co.)	Caprylic/Capric Triglyceride
3	0.25	Lipocol SC (Vantage Specialty Ingredients)	Cetearyl Alcohol
3	0.30	Rosamox (Kemin)	Helianthus Annuus (Sunflower) Seed Oil (and) Rosmarinus Officinalis (Rosemary) Extract
3	1.50	Stearic Acid TP (Protameen Chemicals, Inc.)	Stearic Acid
4	1.00	Actiphyte of Aloe Vera 10 Fold GL (Active Organics)	Water (and) Glycerin (and) Aloe Barbadensis Leaf Extract
4	1.00	Actiphyte of Chamomile BG50P (Active Organics)	Water (and) Butylene Glycol (and) Chamomilla Recutita Flower Extract
5	qs	NaOH (18%)	Water (and) Sodium Hydroxide

02/25/2016 Page 1 of 3 1177-5

The information contained herein is correct to the best of our knowledge. Your attention is directed to the pertinent Material Safety Data Sheets for the products mentioned herein. All sales are subject to Sonneborn's standard terms and conditions of sale, copies of which are available upon request and which are part of Sonneborn's invoices and/or order acknowledgments. Except as expressly provided in Sonneborn's standard terms and conditions of sale, no warranty, express or implied, including warranty of merchantability or fitness for particular purpose, is made with respect to the products described herein. Nothing contained herein shall constitute permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



PROCEDURE:

- 1. In main beaker, weigh Sequence #1 and heat to 80 °C with homogenizer mixing.
- 2. Mix Sequence #2 into a slurry and add to Sequence #1. Mix until smooth and homogenous.
- 3. In another beaker, combine Sequence #3 ingredients and heat to 80 ℃. Mix until clear.
- 4. Slowly add Sequence #3 to the batch and mix well. Begin cooling.
- 5. When batch temperature reaches 60 °C, switch to propeller mixing and continue cooling.
- 6. When batch temperature reaches 25 °C, add Sequence #4 and mix well.
- 7. Adjust pH to 6.3 6.8 with Sequence #5.
- 8. Package in suitable containers.

SPECIFICATIONS:

pH: 6.35

Viscosity: LVT #4 @ 12 rpm for 1 minute 14,600 cps

02/25/2016 Page 2 of 3 1177-5

The information contained herein is correct to the best of our knowledge. Your attention is directed to the pertinent Material Safety Data Sheets for the products mentioned herein. All sales are subject to Sonneborn's standard terms and conditions of sale, copies of which are available upon request and which are part of Sonneborn's invoices and/or order acknowledgments. Except as expressly provided in Sonneborn's standard terms and conditions of sale, no warranty, express or implied, including warranty of merchantability or fitness for particular purpose, is made with respect to the products described herein. Nothing contained herein shall constitute permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



PURE & SOOTHING BABY LOTION with SHEA XP™

This lotion applies smoothly and leaves a soft after-feel. **Shea XP™** nourishes and moisturizes the skin and leaves it feeling soft.

SEQUENCE	PERCENT	<u>INGREDIENT</u>	<u>FUNCTION</u>
1	78.05	Deionized Water	Solvent
1	1.00	Euxyl PE-9019 (Schülke)	Preservative
2	3.00	Glycerin, 99.5% (Protameen Chemicals, Inc.)	Humectant and mosturizer
2	1.00	Solagum AX (Seppic, Inc.)	Naturally derived thickening and stabilizing polymer
3	4.40	Montanov 68 (Seppic, Inc.)	Emulsifier
3	4.50	Shea XP TM (Sonneborn, LLC)	
3	4.00	Lexol GT-865 (Inolex Chemical Co.)	Emollient
3	0.25	Lipocol SC (Vantage Specialty Ingredients)	Viscosity increasing agent
3	0.30	Rosamox (Kemin)	Anti-oxidant
3	1.50	Stearic Acid TP (Protameen Chemicals, Inc.)	Viscosity increasing agent
4	1.00	Actiphyte of Aloe Vera 10 Fold GL (Active Organics)	Botanical Extract
4	1.00	Actiphyte of Chamomile BG50P (Active Organics)	Botanical Extract
5	qs	NaOH (18%)	pH adjuster

02/25/2016 Page 3 of 3 1177-5

The information contained herein is correct to the best of our knowledge. Your attention is directed to the pertinent Material Safety Data Sheets for the products mentioned herein. All sales are subject to Sonneborn's standard terms and conditions of sale, copies of which are available upon request and which are part of Sonneborn's invoices and/or order acknowledgments. Except as expressly provided in Sonneborn's standard terms and conditions of sale, no warranty, express or implied, including warranty of merchantability or fitness for particular purpose, is made with respect to the products described herein. Nothing contained herein shall constitute permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.